



Model "A" Ball Check Cement Retainer Wireline Set

The Model "A" Ball Check Cement Retainers combine outstanding features with design simplicity. It has a compact design and small O.D. for fast running. The Model "A" Ball Check Cement Retainer is economical, dependable and unsurpassed by any similar retainer on the market.

There are no springs, latches or sliding valves to complicate the operation. A simple ball-check acts as a one-way valve to prevent back flow of fluids from the formation up the well.

The internal surface of the retainer is finished to receive a seal nipple for cementing. The ball-check valve is located at the bottom. The retainer sustains high pressure and temperatures.

FEATURES:

- Electric wireline set
- Drillable
- Cast iron construction
- One piece slips - hardened to depth of wicker only
- Sets in any grade tubing
- Form-fitting metal back-ups prevent rubber extrusion
- For temporary or permanent service
- Ratcheting lock ring holds setting force

SPECIFICATIONS

CASING		RETAINER		SETTING RANGE		SETTING TOOL	
O.D.	WT. (LBS/FT)	PART NO.	O.D.	MIN.	MAX.	BAKER	GO
2 3/8	3.3 - 5.9	004-1710-002	1.71	1.867	2.107	05	1 11/16
2 3/8	3.3 - 5.9	004-1710-000	1.71	1.867	2.107		
2 7/8	6.4 - 6.5	004-2100-002	2.10	2.280	2.563	05	
2 7/8	6.4 - 6.5	004-2100-000	2.10	2.280	2.563		1 11/16
2 7/8	6.4 - 6.5	004-2100-000	2.10	2.280	2.563		2 1/8
3 1/2	5.7 - 10.2	004-2750-002	2.75	2.867	3.258	05	
3 1/2	5.7 - 10.2	004-2750-000	2.75	2.867	3.258	10	
3 1/2	5.7 - 10.2	004-2750-000	2.75	2.867	3.258		1 11/16
3 1/2	5.7 - 10.2	004-2750-000	2.75	2.867	3.258		2 1/8
4	5.6 - 14	004-3120-002	3.12	3.340	3.732	10	2 1/8



The information contained herein, is the property of Alpha Oil Tools, and is confidential. It may not be reproduced in any form without the written consent of Alpha Oil Tools. This information is subject to change without notice and does not represent a commitment on the part of Alpha Oil Tools and its representatives. Alpha plugs will not be guaranteed against failure from damage resulting from perforating above a plug which has not had cement dumped on it. This includes any other means of shock that will directly transfer to the plug.

Copyright © 1996, 1997 Alpha Oil Tools. All rights reserved.
Alpha Oil Tools / 3044 Wichita Court / Fort Worth, TX / 76140 USA
 Voice: 817-293-5192 World Wide Web: www.alphaoiltools.com

Email:
 Sales or RFQ: sales@alphaoiltools.com
 Field Support Questions: fieldsupport@alphaoiltools.com
 Engineering Support: engineering@alphaoiltools.com